

*INDEX MAPS.*

**T. 11 N, R. 6 E. 2<sup>nd</sup> Mer.**

	155	155	154	154	154	154	153					
157	6	181	5	174	4	170	3	166	2	161	1	153
	180		180	174		170		165		161		
157	7	179	8	173	9	169	10	165	11	161	12	152
	179		179	173		169		165		160		
156	18	178	17	173	16	169	15	164	14	160	13	152
	178		177	172		168		164		159		
156	19	177	20	172	21	168	22	163	23	159	24	152
	177		176	172		167		163		159		
156	30	176	29	171	28	167	27	163	26	158	25	151
	175		176	171		166		162		158		
156	31	175	32	170	33	166	34	162	35	158	36	151
	150		150	160		149		149		149		

**T. 12 N, R. 6 E. 2<sup>nd</sup> Mer.**

	189	189	188	188	188	188	187					
191	6	214	5	208	4	204	3	200	2	195	1	187
	214		213	208		203		199		195		
191	7	213	8	207	9	203	10	199	11	195	12	186
	212		213	207		203		198		194		
190	18	212	17	206	16	202	15	198	14	194	13	186
	212		211	206		202		198		194		
190	19	211	20	206	21	202	22	197	23	193	24	186
	211		210	205		201		197		193		
190	30	210	29	205	28	201	27	197	26	192	25	185
	209		209	205		200		196		192		
189	31	209	32	204	33	200	34	196	35	192	36	185
	185		184	184		183		183		183		

(P) The figures on the lines refer to the page.

149

Township T. M. North, Range R. C. East. P. Mer. Ind. a

### Township Lines.

South Boundary Var. 7° 30' E

West on the S. Boundary of Sec. 30

- 9.08 a Blue Ash 21 in. dia.  
40.00 set q. sec. post from which  
an Ash 20 in. dia bears N 10 E 23 ft. dist. 8  
a Beech 16 " " " S 30 E 14 " "  
57.00 an Oak 40 " "  
80.00 set post cor. of sec. 35 & 36 from which  
a Beech 18 in. dia bears S 30 E 9 ft. dist. 8  
a Do 10 " " " N 30 W 24 " "  
Level Gravel land, Beech, Ash, Oak, Hickory,  
Poplar & Upr. Spruce

West on the S. Boundary of Sec. 35

- 32.88 an Ash 30 in. dia.  
40.00 set q. sec. post from which  
a Beech 14 in. dia bears N 71 W 20 ft. dist. 8  
an Oak 7 " " " S 30 E 8 " "  
45.71 a Beech 24 " "  
80.00 set post cor. of sec. 34 & 35 from which  
a Beech 20 in. dia bears N 77 E 10 ft. dist. 8  
an Ash 24 " " " S 45 W 20 " "  
Land & timber the same as last noted.

West on the S. Boundary of Sec. 34

- 8.00 an Ash 28 in. dia.  
40.00 set q. sec. post from which  
a Blackberry 18 in. dia bears N 39 W 12 ft. dist. 8  
a Buckeye 10 " " " S 30 E 17 " "  
56.14 a Do 15 " "  
80.00 set post cor. of sec. 33 & 34 from which  
a Maple 16 in. dia bears N 20 E 31 ft. dist. 8  
a Willow 7 " " " S 20 E 15 " "

T.M.N., R.C.O. J<sup>o</sup>. Mer. Ind<sup>a</sup>

Rich 3<sup>rd</sup> rate Bottom, timber Sugar, Ash, Buckeye, Hackberry &c Upr. Spice & Pawpaw

West on the S. Boundary of Sec. 33

- 0.10 Flat Rock Creek 200 ft. wide course S  
21.87 an Ash 12 in. dia.  
33.50 an Improvement containing 2 $\frac{1}{2}$  Acres  
40.00 set of sec. port from which  
a Cherry 6 in. dia. bears N 80 E 13 ft. dist 58,  
a Hackberry " " " \$55 77 29 " "  
47.25 a Blue Ash 24 " "  
80.00 set port cor. of Sec. 32 & 33 from which  
a Sugar 16 in. dia. bears N 83 97 W 24 ft. dist 48  
a Do 7 " " " \$33 80 17 " "  
First rate low ground, timber as last noted

West on the S. Boundary of Sec. 32

- 15.50 a Branch 12 ft. wide course SW  
27.50 a Beech 28 in. dia.  
40.00 set of sec. port from which  
a Beech 12 in. dia. bears \$37 80 24 ft. dist 8,  
a Do 15, " " " \$130 77 29 " "  
45.00 a Branch 3 ft. wide course SE  
52.15 a Poplar 48 in. dia.  
80.00 set port cor. of Sec. 31 & 32 from which  
a Beech 14 in. dia. bears \$30 E 21 ft. dist 48  
a Do 8 " " " \$52 77 23 " "  
Rich land, timber Beech, Sugar, Poplar, Elm &  
Upr. Spice

West on the S. Boundary of Sec. 31

- 1.88 a Gum 20 in. dia.  
40.00 set of sec. port from which  
a Sugar 13 in. dia. bears N 87 97 W 16 ft. dist 28

## T. 11 N., R. 6 E. S. Mer. Ind.

a Beech 7 in. dia. bears South 14 deg. dist.

82.85 Intersect W. Boundary 173ds. N. off temp. post  
set post at intersection cor. of T. 10 & 11 N, R. 5 & 6  
E. from which  
an Ash 8 in. dia. bears N 80° W 14 deg. dist. 8  
a Do 12 " " S 70° E 5 " "  
Land & timber the same as last noted  
June 24<sup>th</sup>. 1819

## East Boundary. Var. 7.06 E

Bearings at cor. of T. 10 & 11 N, R. 5 & 6

a Beech 10 in. dia. bears N 15° E 14 deg. dist. 8

a Do 8 " " S 51° W 34 " "

## North on the E. Boundary of Sec. 36

17.00 a Branch 15 in. wide course S E

20.00 Same " course S W

24.00 a Bur Oak 18 in. dia.

40.00 set of sec. post from which

a Beech 3 in. dia. bears S 87° E 32 deg. dist. 8

a Do 6 " " N 57° W 11 " "

50.84 a Do 15 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 14 in. dia. bears S 75° W 35 deg. dist. 8

a Do 14 " " N 3° E 18 " "

Level land good soil, timber Beech, Ash,  
Sugar & W. M. Spice, Beech &c.

## North on the E. Boundary of Sec. 25

2.25 a Hickory 30 in. dia.

12.50 a Branch 10 in. wide course S W

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 33° W 28 deg. dist. 8

an Elm 10 " " S 10° E 15 " "

59.00 a Branch 20 in. wide course S W

## T. 11 N., R. 6 E. I. Mer. Ind. a.

73.94 a Beech 18 in. dia.

80.00 sit. part cor. of sec. 24 & 25 from which  
a Beech 12 in. dia. bears N 34 E 50 ft. dist. 8

a Do 8 " " " N 17 77 37 " "

Level land, rich soil, timber Beech, Ash, Sugar,  
Oak & Ulps. Spice, Pawpaw

North on the E. Boundary of Sec. 24

22.72 an Ash 24 in. dia.

40.00 sit. of sec. part from which

a Beech 10 in. dia. bears N 62 E 24 ft. dist. 8  
a Sycamore 39 " " N 20 E 6 " "

49.93 a Do 48 " "

72.00 Flat Rock Creek 250 ft. and course SSW

80.00 sit. part cor. of sec. 13 & 24 from which

a Beech 15 in. dia. bears N 50 E 24 ft. dist. 8

a Do 15 " " S 4 E 42 " "

Level land, timber Beech, Poplar, Sugar, Ash,  
& Ulps. Spice - rich soil

North on the E. Boundary of Sec. 13

14.57 a Gum 36 in. dia.

40.00 sit. of sec. part from which

a Beech 18 in. dia. bears S 14 77 12 ft. dist. 8

a Do 10 " " N 41 77 32 " "

Flat land, timber Beech, Gum, Ash, Elm, Oak  
& Cedar Ash, Spice

49.04 an Oak 24 in. dia.

80.00 sit. part cor. of sec. 12 & 13 from which

a Walnut 48 in. dia. bears N 76 77 17 ft. dist. 8

an Elm 20 " " S 73 E 42 " "

2<sup>o</sup> rate land, timber as last noted

North on the E. Boundary of Sec. 12

T.M.N., R. 6 E. S. Mer. Ind.<sup>a</sup>

12.00	a Beech 60 in. wide course NW
13.97	a Beech 15 in. dia.
33.00	a Beech 35 lbs. wide course W
40.00	set g. sec. post from which a Beech 12 in. dia. bears S 36 E 25 lbs. dist. 8 a Do 9 " " " N 62 47 W 20 " "
48.90	an Oak 30 " "
80.00	set post cor. of sec. 14 & 12 from which a Beech 10 in. dia. bears N 60 47 W 21 lbs. dist. 8 an Oak 36 " " " N 25 E 8 " " Level rich land, timber Beech, Sugar, Ash, Elm, Buckeye, Up. Spice, Pawpaw

## North on the E. Boundary of Sec. 1

16.22	an Oak 20 in. dia.
40.00	set g. sec. post from which a Beech 16 in. dia. bears S 75 47 W 12 lbs. dist. 8 an Oak 24 " " " N 75 E 13 " "
71.57	a Maple 18 " "
79.10	set post cor. of S. 14 & 12 N, R. 6 E 7 E. from which a Beech 12 in. dia. bears S 17 E 17 lbs. dist. 8 a Do 9 " " " S 71 47 W 20 " " Level prairie land, timber Beech, Sugar, Oak, Hickory & Under Spice

## North Boundary. Var. 7.15' E.

West on the S. Boundary of Sec. 36, T. 12 N, R. 6 E	
16.16	an Ash 19 in. dia.
21.03	a Do 30 " "
40.00	set g. sec. post from which an Ash 20 in. dia. bears N 32 E 2 lbs. dist. 8 an Elm 37 " " " S 57 47 W 12 " "
52.70	a Beech 18 " "
80.00	set post cor. of sec. 35 & 36 from which

T.M.N., R. 6 E. T. Mer. Ind.<sup>a</sup>

an Ash 12 in. dia. bears S36W30 $\theta$ s. - dist. 8  
 a Beech 5 " " N33W33 " "  
 Over level land, timber Beech, Ash, Sugar &  
 Wsp. Spico, Prickly Ash &c. soil good

West on the S. Boundary of Sec. 35, T12N, R. 6E  
 13. 15 a Gycamore 21 in. dia.  
 40.00 set g. sec. post from which  
 a Swamp Ash 6 in. dia. bears S67W28 $\theta$ s. - dist. 8  
 a Beech 10 " " N59E- " "  
 65.55 an Ash 36 " "  
 80.00 set post cor. of sec. 34 & 35 from which  
 a Beech 21 in. dia. bears N79E8 $\theta$ s. - dist. 8  
 an Elm 9 " " S11E2 " "  
 Over level wet land, timber Ash, Beech, Elm,  
 Oak, Hickory &c. Wsp. Spico, Sop. Ash &c. soil  
 good

West on the S. Boundary of Sec. 34, T12N, R. 6E  
 10. 35 an Elm 27 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 8 in. dia. bears S44W11 $\theta$ s. - dist. 8  
 a Do 7 " " N68E5 " "  
 46.20 a Do 24 " "  
 80.00 set post cor. of sec. 33 & 34 from which  
 a Hickory 6 in. dia. bears S63E8 $\theta$ s. - dist. 8  
 an Ash 6 " " N26W15 " "  
 Over level wet ground, timber Beech, Ash,  
 Elm &c. Wsp. Spico, Swamp Ash &c. rich soil

West on the S. Boundary of Sec. 33, T12N, R. 6E  
 12.80 a Beech 15 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 9 in. dia. bears N68E5 $\theta$ s. - dist. 8

J. M. N., R. O. D. Miller. Ind.<sup>a</sup>

- a Beech 9 in. dia. hars \$44 1/2 W 17 lbs. dist.
- 64.55 a Poplar 18 " "
- 80.00 set post cor. of sec. 32 & 33 from which  
a Blue Ash 9 in. dia. hars \$54 05 lbs. dist. 8  
a B. Oak 6 " " " \$72 91 19 " "  
Over rolling land, timber Beech, Ash, Poplar,  
Oak & Ulpr. Spice, Beech - soil good
- 

- West on the S. Boundary of Sec. 32, T12 N, R6 E
- 34.80 a Beech 20 in. dia.
- 40.00 set of sec. post from which  
a Hickory 9 in. dia. hars \$50 91 5 lbs. dist. 8  
a Beech 12 " " " \$59 02 6 " "
- 59.78 a 10 15 " "
- 68.72 Intersect Driftwood Creek & set post from which  
a Beech 12 in. dia. hars \$85 91 4 lbs. dist. 8  
a Hickory 24 " " " \$34 01 0 " "
- 71.87 set post on right bank of River from which (\$9W)  
an Ash 9 in. dia. hars \$29 01 1 lbs. dist. 8  
a Maple 6 " " " \$44 91 20 " "
- 80.00 set post cor. of sec. 31 & 32 from which  
a Buckeye 6 in. dia. hars \$16 01 0 lbs. dist. 8  
a Span. Oak 20 " " " \$9 02 1 " "  
First p. mile gently rolling 1<sup>st</sup> rate land, Bluff on  
River 20 feet perpendicular - last p. mile  
Beech, Buckeye - Ulpr. Spice - rich soil
- 

- West on the S. Boundary of Sec. 31, T12 N, R6 E
- 13.25 a Sycamore 15 in. dia.
- 40.00 set of sec. post from which  
a Beech 7 in. dia. hars \$36 91 5 lbs. dist. 8  
a Blue Ash 9 " " " \$37 91 36 " "  
84.33 to Township corner. June 25. 1819
-

T. 11 N., R. 6 E. T. Mer. Ind.<sup>a</sup>

West Boundary. Var. 6.00. E

North on the E. Boundary of Sec. 36, T. 11 N., R. 6 E  
40.00 set g. sec. post from which

a Beech 18 in. diameter S 32° E 36 lbs. dist. 18  
an Ash 21 " " " N 22° W 30 " "

80.00 set post cor. of sec. 25 & 36 from which

" — 18 in. diameter N 27° E 15 lbs. dist. 18

a Do 12 " " " S 1° W 26 " "

Level brushy land, soil good

North on the E. Boundary of Sec. 35, T. 11 N., R. 6 E  
31.60 an Elm 15 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. diameter S 66° W 35 lbs. dist. 18

a Do 10 " " " N 84° E 10 " "

71.40 a Sugar 15 " "

80.00 set post cor. of sec. 24 & 25 from which

a Blue Ash 10 in. diameter N 10° E 13 lbs. dist. 18

an Elm 27 " " " S 19° E 20 " "

Level land, timber Elm, Sugar, Ash &c.

North on the E. Boundary of Sec. 34, T. 11 N., R. 6 E

21.48 a Sugar 15 in. dia.

40.00 set g. sec. post from which

a Sugar 9 in. diameter S 47° W 15 lbs. dist. 18

a Beech 24 " " " N 86° E — " "

67.40 a Branch 8 lbs. wide course S 97°

73.00 a Beech 27 in. dia.

80.00 set post cor. of sec. 13 & 24 from which

a Beech 9 in. diameter N 2° E 12 lbs. dist. 18

a Do 7 " " " S 17° W 13 " "

Level land, timber as last noted

North on the E. Boundary of Sec. 13, T. 11 N., R. 6 E

## T. 11 N., R. 6 E. D. Miller. Ind.

20. 10	an Elm 15 in. dia.
40. 00	set of sec. part from which a Sugar 9 in. dia bears \$464W12 Ms. dist. 8 a Do 8 " " N55E20 " "
67.80	a Do 18 " "
69.10	a Branch of the wide course SPP
80. 00	set part con. of sec. 14 1/2 from which an Ash 18 in. dia bears N43E011 Ms. dist. 8 a Sugar 30 " " \$244W18 " " Land & timber the same as last noted.

North on the E. Boundary of Sec. 12, T. 11 N., R. 6 E.	
40. 00	set of sec. part from which a Blue Ash 9 in. dia bears \$554W16 Ms. dist. 8 a Do 7 " " N60E15 " "
77.60	a W. Walnut 15 " "
80. 00	set part con. of sec. 14 1/2 from which a Buckeye 9 in. dia bears N39E18 Ms. dist. 8 a Sycamore 30 " " \$724W27 " " Good land, timber Elm, Ash, Walnut &c. Upr. Spice, Ash &c. Soil good

North on the E. Boundary of Sec. 1, T. 11 N., R. 6 E.	
13.00	Part fork of White River 200 ft. wide course SPP
21. 90	a Mulberry 10 in. dia.
40. 00	set of sec. part from which an Ash 8 in. dia bears N47E014 Ms. dist. 8 an Elm 12 " " \$524W39 " "
80. 00	set part con. of S. 14 1/2 N., R. 5 E. from which a Beech 9 in. dia bears West 30 Ms. dist. 8 a Do 8 " " N38E011 " " Good bottom, timber Ash, Hackberry, Sycamore &c. Upr. Spice, Wines &c. Surveyed in 1819 by John M. Donald, Dep. Surveyor.

T. M. N., R. 6 E. 2<sup>o</sup> Mer. Ind.

## Subdivision. Var. 7.00. E.

North between Sec. 35 &amp; 36, T. M. N., R. 6 E.

25.20 a Beech 20 in. dia.

40.00 set q. sec. post from which  
a Hickory 16 in. dia leans S 69° W 22 1/2°. dist. 8  
an Ash 14, " " " S 85° E 8 " "

50.00 a Beech 30 " "

80.00 set post on q. sec. 25, 26, 35 & 36 from which  
a Beech 10 in. dia leans N 32° E 10°. dist. 8  
a Do 12, " " " S 33° W 28 " "Land level 3° water, timber Beech, Oak & Ash  
Up. Spice gr.

## East on Random between Sec. 25 &amp; 36

10.00 enter a Swamp

14.00 leave the " "

81.80 intersect E. Boundary 87 1/2°. S. of post  
Land level 3° water, timber Beech, Oak, Ash &  
Up. Spice gr.

## West bounded between Sec. 25 &amp; 36

16.23 a Beech 20 in. dia.

40.90 set q. sec. post at aver. dist. from which  
an Ash 10 in. dia leans S 36° E 8 1/2°. dist. 8  
a Do 14, " " " N 26° W 26 " "

47.15 a Beech 14 " "

81.80 to sec. cor.

## North between Sec. 25 &amp; 26

27.34 a Beech 20 in. dia.

40.00 set q. sec. post from which  
a Buckeye 10 in. dia leans S 40° E 10 1/2°. dist. 8  
an Elm 30, " " " N 77° W 38 " "  
40.80 a Hackberry 30 " "

## T. 11 N., R. 6 E. L. Mer. Ind.

51.00 a Stream 150 ft. wide course SW  
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
 an Ash 4 in. dia bears N 82 E 7 ft. dist. 8,  
 a Water Beech 5, " " N 23 W 7 " " "  
 Land level 3° rate, Beech, Sugar, Ash & Spice Wsp.  
 Lyr. Specie 4.

East on Random between Sec. 24 & 25  
 61.00 a Stream 200 ft. wide course S  
 40.00 set temp. q. sec. post  
 81.50 intersect E. Boundary at post -  
 Land level 3° rate, timber Beech, Ash & Sugar  
 Wsp. Specie 4.

West connected between Sec. 24 & 25  
 40.75 set q. sec. post at aver. dist. from which  
 a Beech 18 in. dia bears S 47 E 31 ft. dist. 8  
 a No 20 " " N 67 W 36 " "  
 42.50 a W. Oak 20 " "  
 81.50 to sec. cor.

North between Sec. 23 & 24  
 12.21 a Walnut 30 in. dia.  
 40.00 set q. sec. post from which  
 a Beech 16 in. dia bears S 52 E 37 ft. dist. 8  
 a No 17 " " N 64 W 17 " "  
 55.11 a No 16 " "  
 80.00 set post cor. of sec. 13, 14, 23 & 24 from which  
 an Elm 4 in. dia bears S 86 E 29 ft. dist. 8  
 a Beech 18 " " N 62 W 16 " "  
 Land level 3° rate, timber Ash, Oak & Beech  
 Wsp. Specie 4.

East on Random between Sec. 13 & 24  
 40.00 set temp. q. sec. post

## T. 11 N., R. 6 E. D. M. Ind. Ind. a.

80.62 Intersect E. Boundary 129 ft. S. of post -  
Sand level 3' rate, timber Ash, Beech, Oak &c.  
Upr. Spice

West Barreled between Sec. 13 & 14

4.23 a W. Oak 62 in. dia.

40.31 set q. sec. post at ave. dist. from which  
a Beech 18 in. dia. bears S 38° E 20 ft. dist. 8  
a Slo 10 s s s S 58° W 10 s s

64.22 Hickory 30 s s

80.62 to sec. cor.

North between Sec. 13 & 14

144.00 a W. Oak 34 in. dia.

40.00 set q. sec. post from which  
a Beech 30 in. dia. bears N 88° W 31 ft. dist. 8  
a W. Oak 25 s s s S 62° E 20 s s

58.50 a Stream 50 ft. wide course S 97° W

64.28 a Poplar 30 in. dia.

80.00 set post cor. of sect. 11, 12, 13 & 14 from which  
a Beech 18 in. dia. bears S 45° E 14 ft. dist. 8

a W. Oak 6 s s s N 50° W 18 s s

Sand level 3' rate, timber Beech, Oak, Ash &c.  
Upr. Spice 4.

East on Random between Sec. 12 & 13

36.00 a Stream 45 ft. wide course S 97° W

40.00 set temp. q. sec. post

79.38 Intersect E. Boundary 42 ft. S. of post -  
Sand level 2' rate, timber Ash, Beech, Oak,  
Upr. Spice, Ash &c.

West Barreled between Sec. 12 & 13

4.17 a R. Oak 60 in. dia.

J. H. N., R. C. O. I. Mer. Ind.<sup>a</sup>

- 39.69 set q.sci. port at aver. dist. from which  
a Maple 10 in. dia. bears N 72 E 44 M. dist. 8  
a Walnut 30, " " S 39 W 61 " "  
61.82 a Blue Ash 30 in. dia.  
79.38 to sec. cor.

## North between Sect. 11 &amp; 12

- 12.81 a Beech 26 in. dia.  
40.00 set q.sci. port from which  
an Oak 20 in. dia. bears S 71 E 42 M. dist. 8  
a Beech 10 " " " N 71 W 12 " "  
60.00 a W. Oak 30 " "  
80.00 set port cor. of sect. 1, 2, 11 & 12 from which  
a Beech 8 in. dia. bears N 84 E 16 M. dist. 8  
a Do 9 " " " S 87 W 26 " "  
Land level 3° rate, thicker Beech, Hickory,  
Gum & Oak - Upr. Spicey R.

## East on Random between Sect. 1 &amp; 12

- 40.00 set temp. q.sci. port  
77.79 intersect E. Boundary at port -  
Land level 3° rate, thicker Oak, Beech, & Hickory  
st. Upr. Spicey Ark

## West Connected between Sect. 1 &amp; 12

- 8.49 an Oak 48 in. dia.  
38.80 set q.sci. port at aver. dist. from which  
a Beech 9 in. dia. bears N 28 W 12 M. dist. 8  
a Do 18 " " " S 4 E 20 " "  
61.59 a W. Oak 30 " "  
77.79 to sec. cor.

## North between Sect. 1 &amp; 2

- 17.50 a Beech 10 in. dia.

## T. 11 N., R. 6 E. S. Mer. Ind.

- 40.00 set q. sec. post from which  
a Beech 30 in. dia. bears N 58 E 22 m. dist. 8  
a Do 15, " " " S 64 W 39, " "  
49.90 a Oak 30 " "  
85.82 Intersect N. Boundary 485 ft. S. of post -  
set post at intersection cor. of sec. 14 & 2 from which  
a Sugar 8 in. dia. bears N 70 W 2 m. dist. 8  
an Oak 13, " " " S 35 E 10, " "  
Land level 3° rate, timber Beech, Oak, Hickory  
&c. Hly. Spice, Ash &c.

## North between Sec. 34 &amp; 35

- 17.58 a Beech 18 in. dia.  
40.00 set q. sec. post from which  
a Beech 30 in. dia. bears S 4 E 10 m. dist. 8  
a Do 12, " " " N 5 E 27, " "  
70.02 a Do 10, " "  
80.00 set post cor. of sec. 26, 27, 34 & 35 from which  
a Buckeye 9 in. dia. bears S 36 E 18 m. dist. 8  
a Sugar 36, " " " N 36 W 20, " "  
Land level 2° rate, timber Beech, Ash,  
Sugar, Hly. Spice, Pawpaw &c.

## East on Random between Sec. 26 &amp; 35

- 40.00 set temp. q. sec. post  
82.09 Intersect N. S. line 185 ft. S. of post -  
Land 3° rate land, timber Sugar, Ash, Beech,  
Huckleberry &c. Hly. Spice, Pawpaw &c.

## West bounded between Sec. 26 &amp; 35

- 10.23 a Beech 16 in. dia.  
41.04 set q. sec. post at ave. dist. from which  
a Beech 20 in. dia. bears N 23 E 44 1/2 m. dist. 8  
a Do 30, " " " N 84 E 20, " "

T.M.V., R.O.O. 2<sup>o</sup> Mer. Ind.

44.73 an Elm 14 in. dia.

82.09 to sec. cor.

North between Sec. 26 & 27

12.25 a Blue Ash 19 in. dia.

29.50 a Stream 150 ft. wide course W

40.00 set q.sec. post from which

a Buckeye 6 in. dia. has N 75 E 21 ft. dist. 8

a Beech 20 " " " S 75 E 18 " "

64.94 a Dr 26 " "

80.00 set post on. of Sec. 22, 23, 26 & 27 from which

a Beech 36 in. dia. has S 17 E 27 ft. dist. 8

a Dr 12 " " " N 51 W 33 " "

Land level 2° rate, timber Beech, Ash, Sugary  
Buckeye; Upr. Spice, Pawpaw

East on Random between Sec. 23 & 26

40.00 set temp. q.sec. post

82.87 intersect N.S. line 98 ft. N. of post -

Land level 2° rate, timber Beech, Ash, Sugary  
Buckeye; Upr. Spice, Pawpaw

West bounded between Sec. 23 & 26

10.11 a Buckeye 12 in. dia.

41.43 set q.sec. post at aver. dist. from which

a Beech 12 in. dia. has S 55 W 37 ft. dist. 8

a Dr 6 " " " N 5 E 34 " "

63.54 a Dr 30 " "

82.87 to sec. cor.

North between Sec. 22 & 23

35.43 a Blackberry 18 in. dia.

40.00 set q.sec. post from which

a Beech 4 in. dia. has S 15 E 10 ft. dist. 8

## T. 11 N., R. 6 E. S. Mer. Ind.

an Elm 18 in. dia bears \$82 97 40 lbs - dist.  
 41.00 a Stream 40 lbs. wide course \$44  
 78.80 a Hickory 20 in. dia  
 80.00 set post cor. of sec. 14, 15, 22 & 23 from which  
 a Beech 10 in. dia bears \$22 80 24 lbs - dist. 8  
 a W. Beech 4 " " " \$45 77 17 " "  
 Land level 2° rate, timber Beech, Sugar,  
 Blue Ash, Buckeye; Upr. Spicy Pawpaw

## East on Random between Sec. 14 &amp; 23

7.74 a Stream 50 lbs. wide course \$44  
 79.89 Intermittent Mt. S. live at post -  
 Land level 2° rate, timber Beech, Oak, Ash,  
 Upr. Hazle, Spice &c.

## West corrected between Sec. 14 &amp; 23

23.29 an Elm 30 in. dia.  
 39.94 set q.s.e. post at ave. dist from which  
 a blackberry 18 in. dia bears \$22 80 18 lbs - dist. 8  
 a Hickory 16 " " " \$50 77 28 " "  
 73.70 a Beech 14 " "  
 79.89 to sec. cor. October 1. 1819

## North between Sec. 14 &amp; 15

4.84 a Buckeye 10 in. dia.  
 40.00 set q.s.e. post from which  
 a Sugar 9 in. dia bears \$27 80 21 lbs - dist. 8  
 a Dr 14 " " " \$28 77 22 " "  
 80.00 set post cor. of sec. 10, 11, 14 & 15 from which  
 a Beech 10 in. dia bears \$69 80 19 lbs - dist. 8  
 a Dr 6 " " " \$63 77 20 " "  
 Land level 2° rate, timber Beech, Ash, Sugar,  
 Upr. Spice, Pawpaw &c.

J. H. N., R. C. E. L. Mer. Ind.<sup>a</sup>

East on Random between Sec. 11 & 14

40.00 set traps. q. sec. port

79.27 Intersects N. S. line 20 lbs. S. of port -

Land level 3' ratio, timber Beech, Ash, Oak  
Upr. Spice

West Barreled between Sec. 11 & 14

9.88 a Beech 30 in. dia.

39.63 set q. sec. port at aver. dist. from which  
a Beech 20 in. dia bears \$309715 lbs. dist. 8  
a Sycamore 36 " " " N65E 30 " "

53.90 an Elm 10 " "

79.27 to sec. cor.

North between Sec. 10 & 11

34.20 an Elm 30 in. dia.

40.00 set q. sec. port from which  
an Ash 4 in. dia bears \$43E 5 lbs. dist. 8  
an Elm 10 " " " N43W16 " "

80.00 set port cor. of Sec. 2, 3, 10 & 11 from which  
a Beech 18 in. dia bears N16W13 lbs. dist. 8  
a No 10 " " " \$43W16 " "

Land level 3' ratio, timber Beech, Oak, Ash,  
Hickory, Upr. Spice, Hazelnut.

East on Random between Sec. 2 & 11

40.00 set traps. q. sec. port

41.77 enter a Swamp

43.00 leave the "

79.50 Intersect N. S. line 23 lbs. N. of port -

Land level 3' ratio, timber Beech, Ash, Oak,  
Upr. Spice, Ash 4.

West Barreled between Sec. 2 & 11

T.M.N., R. 6 E. T.<sup>o</sup> Mer. Ind<sup>a</sup>

39. 28 a Beech 12 in. dia.
39. 75 set of sec. posts at ave. dist. from which  
a Beech 10 in. dia bears N 35° W 14 ft. dist. 8  
a W. Beech 5, , , S 36° W 6 , ,
41. 78 a Beech 14 , ,
79. 50 to sec. cor.

North between Sect. 2 & 3

- 3.00 a Sugar 14 in. dia.
- 40.00 set of sec. posts from which  
a Gum 4 in. dia bears S 46° W 10 ft. dist. 8  
a Hickory 8 s s s N 41° E 20 s s
86. 64 Intersect N. Boundary at 40 ft. E. of post -  
set post at intersection cor. of sect. 2 & 3 from which  
a Beech 10 in. dia bears S 36° E 19 ft. dist. 8  
a Do 6 s s s N 42° W 18 s s  
Land level 3' ratio, timber Beech, Gum, Oak,  
Upl. Spice, Ash &c. October 2. 1819

North between Sect. 33 & 34

- 40.00 a Stream 150 ft. wide course NW
- 40.00 set of sec. posts from which  
a Sycamore 15 in. dia bears S 59° E 24 ft. dist. 8  
a Do 30 s s s N 41° W 24 s s
- 65.00 a Stream 150 ft. wide course SE
70. 22 a Hackberry 22 in. dia.
75. 00 a Stream 160 ft. wide course SW
- 80.00 set post cor. of sect. 27, 28, 33 & 34 from which  
a Hackberry 24 in. dia bears N 30° W 3 ft. dist. 8  
a Buckeye 9 s s s S 44° E 7 s s  
Land 3' ratio, timber Hackberry, Sugar, Blue Ash  
sp. Upl. Spice 4.

East on Random between Sect. 27 & 34

## S. 11 N., R. 6 E. L. Mer. Ind.

8.65 a Stream 140 ft. wide course SSW  
 40.00 set temp. of sec. port  
 82.40 intersect N. S. line 79 ft. S. of port -  
 Land level 1<sup>st</sup> rate, timber Hackberry, Ash & Walnut;  
 Upr. Spice

## West Corrected between Sec. 27 &amp; 28

7.97 a Beech 18 in. dia.  
 41.20 set of sec. port at aver. dist. from which  
     a Beech 6 in. dia. bears S 53 E 21 ft. dist. 8  
     an Elm 10 "     "     N 43 E 37 "     "  
 49.92 an Ash 18 "     "  
 82.40 to sec. cor.

## North between Sec. 27 &amp; 28

4.23 a W. Oak 20 in. dia.  
 40.00 set of sec. port from which  
     a Hackberry 14 in. dia. bears S 21 W 30 ft. dist. 8  
     a Buckeye 18 "     "     N 21 E 28 "     "  
 45.00 a Spring course SSW  
 80.00 set port cor. of Sec. 21, 22, 27 & 28 from which  
     a Beech 9 in. dia. bears S 33 E 13 ft. dist. 8  
     an Elm 6 "     "     S 88 W 25 "     "  
     Land level 2<sup>nd</sup> rate, timber Beech, Ash & Sugar;  
     Upr. Spice 4.

## East on Random between Sec. 22 &amp; 27

25.50 a Stream 50 ft. wide course S  
 40.00 set temp. of sec. port  
 80.50 intersect N. S. line 129 ft. N. of port -  
 Land level 2<sup>nd</sup> rate, timber Ash, Beech & Sugar  
 Upr. Spice 4.

## West Corrected between Sec. 22 &amp; 27

T. M. N., R. C. E. D. Mer. Ind.<sup>a</sup>

13.13 a Hackberry 38 in. dia.  
 40.25 set q. sec. port at aver. dist. from which  
     an Ash 30 in. dia bears N 78 E 12 Ms. dist. 8,  
     a Beech 15 "     "     "     S 55 97 4 "     "  
 72.00 a Hickory 18 "     "  
 80.50 to sec. cor.

---

North between Sec. 21 & 22

13.50 a Walnut 40 in. dia.  
 40.00 set q. sec. port from which  
     a Beech 10 in. dia bears S 45 E 6 Ms. dist. 8,  
     an Ash 15 "     "     "     S 87 77 28 "     "  
 75.00 a Hickory 18 "     "  
 80.00 set port cor. of Sec. 15, 16, 21 & 22 from which  
     a Beech 36 in. dia bears N 9 E 11 Ms. dist. 8,  
     a No. 20 "     "     "     S 30 77 13 "     "  
 Land level 2' ratio, timber Ash, Hickory & Beech  
 Wyo. Spruce

---

East on Random between Sec. 15 & 22

41.50 a Stream 50 Ms. wide course S  
 40.00 set temp. q. sec. port  
 79.89 intersect N.E. line 150 Ms. S. of port -  
 Land level 2' ratio, timber Ash, Beech, Oak &  
 Wyo. Spruce &c.

---

West corrected between Sec. 15 & 22

9.39 a Hickory 20 in. dia.  
 39.94 1/2 set q. sec. port at aver. dist. from which  
     a Beech 8 in. dia bears S 19 77 23 Ms. dist. 8,  
     a Sugar 7 "     "     "     S 56 E 29 "     "  
 68.80 an Oak 60 "     "  
 79.89 to sec. cor.

---

T. 11 N., R. 6 E. 2<sup>d</sup> Mer. Ind.

North between Sec. 15 & 16

- 40.00 set g. sec. port from which  
an Oak 10 in. dia. bears S 55 E 9 Ms. dist. 8,  
a Beech 9 " " " S 84 W 39 " "  
51.50 a Do 30 " "  
80.00 set port cor. of sec. 9, 10, 15 & 16 from which  
a Sugar 6 in. dia. bears S 35 E 44 Ms. dist. 8,  
a Beech 9 " " " N 42 W 33 " "  
Land some hilly 3° rate, timber Oak, Beech,  
Ash &c. Upr. Spice &c.

East on Random between Sec. 10 & 15

- 40.00 set temp. g. sec. port  
82.50 intersect N & S. line 43 Ms. N. of port -  
Land level 2° rate, timber Ash, Beech, Oaks &c.  
Upr. Spice

West Correlated between Sec. 10 & 15

- 18.00 an Ash 14 in. dia.  
41.25 set g. sec. port at aver. dist. from which  
an Elm 8 in. dia. bears S 89 W 4 Ms. dist. 8,  
a Do 30 " " " N 82 E 21 " "  
50.05 a Beech 30 " "  
82.50 to sec. cor.

North between Sec. 9 & 10

- 23.02 a Beech 15 in. dia.  
40.00 set g. sec. port from which  
a Beech 15 in. dia. bears S 74 E 8 Ms. dist. 8  
a Do 12 " " " N 74 W 8 " "  
61.01 a Sugar 20 " "  
80.00 set port cor. of sec. 9, 10, 11 & 12 from which  
a Beech 3 in. dia. bears N 64 W 8 Ms. dist. 8  
a Do 18 " " " S 82 E 19 " "

## T. 11 N., R. 6 E. I. Mer. Ind.

Sand level 2° rate, timber Beech, Sugar, Poplar  
Upr. Spice &c.

East on Random between Sect. 3 & 10

40.00 set temp. of sec. post

79.50 intersect N. S. line 33 lbs. S. of post -

Sand level 2° rate, timber Beech, Ash, Sugar &c.  
Spice Upr.

West Corrected between Sect. 3 & 10

7.08 a Beech 30 in. dia.

39.75 set q. sec. post at ave. dist. from which  
a Beech 30 in. dia bears N 28° W 15 lbs. dist. 8  
an Ash 4 s s s \$43.00 s s

65.31 a Beech 26 s s

79.50 to sec. cor.

North between Sect. 3 & 4

24.25 a Beech 18 in. dia.

40.00 set q. sec. post from which  
a Dogwood 4 in. dia bears N 69° E 10 lbs. dist. 8  
a Beech 10 s s s N 25° W 12 s s

69.33 an Oak 20 s s

80.35 intersect N. Boundary 413 lbs. E. of post -  
set post at intersection cor. of Sect. 3 & 4 from which  
a Beech 18 in. dia bears N 31° W 20 lbs. dist. 8  
a W. Oak 15 s s s \$62.00 s s

Sand level 2° rate, timber Ash, Beech, Sugar, Oak &c.  
Upr. Spice &c.

North between Sect. 3 & 33

19.59 a Stream 50 lbs. wide course E

29.81 a Beech 14 in. dia.

40.00 set q. sec. post from which

S. M. N., R. O. E. L. Mer. Ind<sup>a</sup>

	a Water Beech 5 in. dia. bears N 66° E 40 ft. dist. 8
	an Elm 20 " " South 10 " "
57.73	a Beech 24 " "
80.00	set post cor. of sect. 28, 29, 32 & 33 from which a Beech 14 in. dia. bears S 77° E 14 ft. dist. 8
	" " 20 " " N 12 1/2° W 46 " "
	Land level 2° ratio, timber Beech, Sugar, Ash, Upr. Spice &c.

## East on Random between Sect. 28 &amp; 33

40.00	set temp. q. sec. post
73.50	a Stream 50 ft. wide course S
79.40	Intersect N & S. line 15 ft. S. of post - Land level 2° ratio, timber Beech, Sugar, Ash, Upr. Spice, Ash &c.

## West Connected between Sect. 28 &amp; 33

39.70	set q. sec. post at aver. dist. from which a Beech 30 in. dia. bears N 40° E 30 ft. dist. 8, a Sugar 16 " " " S 2 E 27 " "
52.50	a Beech 10 " "
59.40	a Sugar 20 " "
79.40	to sec. cor.

## North between Sect. 28 &amp; 29

12.00	a Poplar 30 in. dia.
40.00	det q. sec. post from which a Beech 15 in. dia. bears S 62 1/2° W 14 ft. dist. 8,
	a Slo 16 " " " S 88 E 11 " "
52.78	a Slo 18 " "
80.00	det post cor. of sect. 20, 21, 28 & 29 from which a Sugar 16 in. dia. bears S 34 1/2° W 13 ft. dist. 8 a Slo 18 " " " N 77 E 31 1/2 " " Land level 2° ratio, timber Sugar, Beech, Ash,

T. 11 N., R. 6 E. I<sup>o</sup> Mer. Ind.<sup>a</sup>

Poplar; Upr. Spice, Ash &c.

East on Random between Sect. 21 & 28

40.00 set temp. of sec. port

72.40 a Stream 10 hrs. wide course S E

82.12 Intersect N. S. line 30 hrs. N. of port -

Land level 3° rate, timber Beech, Sugar, Ash,  
Poplar; Upr. Spice &c.

West corrected between Sect. 21 & 28

12.45 a Beech 16 in. dia.

41.00 set of sec. port at aver. dist. from which  
a Beech 15 in. dia bears S 72 1/2 W 14 hrs. dist. 8,

a Sugar 10 " " " S 60 E 11 1/2 " "

67.17 an Elm 20 " "

82.12 to sec. cor.

North between Sect. 20 & 21

4.05 an Oak 40 in. dia.

40.00 set of sec. port from which  
an Ash 5 in. dia bears S 73 E 11 hrs. dist. 8,

a Beech 6 " " " S 83 W 28 " "

50.30 a Hickory 20 " "

80.00 set port cor. off sect. 16, 17, 20 & 21 from which  
a Hickory 10 in. dia bears N 51 E 4 hrs. dist. 8,

a Beech 15 " " " South 22 " "

Land level 3° rate, timber Beech, Ash, Sugar  
Upr. Spice &c.

East on Random between Sect. 16 & 21

40.00 set temp. of sec. port

83.09 Intersect N. S. line 19 hrs. N. of port -

Land level 3° rate, timber Beech, Ash, Poplar,  
Sugar; Upr. Spice &c.

J.M.N., R. C. O. S. M. M. Ind<sup>a</sup>.

West Connected between Sect. 16 & 21

17.49 a Beech 15 in. dia.

41.54 ft set q. sec. port at aver. dist. from which  
a Beech 30 in. dia bears 561° E 25 ft. dist. 8  
a Do 14 " " " N 83° W 30 " "

56.77 a W. Oak 20 " "

83.09 to sec. cor.

North between Sect. 16 & 17

44.10 an Ash 18 in. dia.

40.00 set q. sec. port from which  
a Beech 30 in. dia bears 873° E 20 ft. dist. 8

a Do 4 " " " N 43° W 10 " "

80.00 set port cor. of sect. 8, 9, 16 & 17 from which

a Beech 30 in. dia bears 912° W 34 ft. dist. 8

a Do 5 " " " N 34° W 15 " "

Land level 2° rate, timber Beech, Ash, Sugar,  
Poplar; Upr. Spice &c. October 4. 1819

East or Random between Sect. 9 & 16

40.00 set temp. q. sec. port

82.11 Intersect. N & S. line 42 ft. S. of port -

Land level 2° rate, timber Beech, Ash, Oak,  
Sugar; Upr. Spice, Ash &c.

West Connected between Sect. 9 & 16

11.76 a Blue Ash 20 in. dia.

41.05 ft set q. sec. port at aver. dist. from which  
a Beech 10 in. dia bears N 26° W 30 ft. dist. 8

a Sugar 18 " " " S 39° W 17 " "

49.21 a Poplar 48 " "

82.11 to sec. cor.

North between Sect. 8 & 9

S.W.N., R. 60. T.<sup>o</sup> Mer. Ind.

4.25 an Ash 30 in. dia.  
 40.00 set q. sec. post from which  
   a Beech 5 in. dia bears S30°W19°N. dist. 8  
   an Ash 10 s     N9°E31 s       
 80.00 set post cor. of sect. 4, 5, 8 & 9 from which  
   a Beech 10 in. dia bears S34°W7°N. dist. 8  
   a No 7 s     N21°E37 s       
   Sand level 2°. rate, timber Beech, Oak, Ash,  
   Poplar, Sugar; Upr. Spice, Pawpaw &c.  
 October 5, 1819

## East on Random between Sec. 4 &amp; 9

40.00 set temp. q. sec. post  
 81.15 intersect N. S. line 15°N. W. of post -  
   Sand level 2°. rate, timber Beech, Ash, Sugar,  
   Poplar; Upr. Spice, Pawpaw

## West connected between Sec 4 &amp; 9

12.10 a Beech 10 in. dia.  
 40.57 set q. sec. post at ave. dist. from which  
   a Beech 30 in. dia bears N55°E42°N. dist. 8  
   a No 10 s     S23°W30 s       
 43.14 a Poplar 4 s       
 81.15 to sec. cor.

## North between Sec. 4 &amp; 5

27.37 an Ash 16 in. dia.  
 40.00 set q. sec. post from which  
   a Beech 12 in. dia bears S6°W33°N. dist. 8  
   an Oak 14 s     N5°W13 s       
 42.25 a W. Oak 20 s       
 85.93 intersect N. Boundary 150 ft. E. of post -  
   set post at intersection cor. of sect. 4 & 5 from which  
   a Hickory 20 in. dia bears N18°E15°N. dist. 8

S. H. N., R. C. D. G. Mer. Ind.<sup>a</sup>

"Beech 12 in. dia. bears \$29 47 36 Ms. dist.  
Land level 2° rate, timber Beech, Ash, Oak,  
Upr. Spice 4%. October 6. 1819

## North between Sect. 31 &amp; 32

37.12 a W. Oak 30 in. dia.  
40.00 set q. sec. port from which  
"Beech 6 in. dia. bears \$66 82 1 Ms. dist. 3  
a Slo 30 " " " \$59 47 21 " "  
52.55 a Slo 18 " "  
63.00 a Brook 12 Ms. wide course 47  
80.00 set port cor. of Sect. 29, 30, 31 & 32 from which  
"Beech 6 in. dia. bears \$69 82 0 Ms. dist. 8  
a Slo 20 " " " \$5 47 3 " "  
Land level 2° rate, timber Ash, Beech & Sugar  
some Poplars. Upr. Spice 4%.

## Part on Random between Sect. 29 &amp; 32

40.00 set temp. q. sec. port  
81.30 intersect N. S. line 57 Ms. S. off port -  
Land level 2° rate, timber Ash, Oak, Beech  
&c. Upr. Spice 4%.

## West connected between Sect. 29 &amp; 32

6.69 a Beech 18 in. dia.  
40.05 set q. sec. port at aver. dist. from which  
"Sugar 18 in. dia. bears \$63 47 13 Ms. dist. 3  
a Slo 16 " " " \$74 82 15 " "  
57.62 a Beech 20 " "  
81.30 to sec. cor.

## West between Sect. 30 &amp; 31

21.50 an Ash 20 in. dia.  
40.00 set q. sec. port from which

## T. 11 N., R. 6 E. D. M. Ind.

a Sugar 8 in. dia. bears S 08 E 15 lbs. dist. 8  
 a Beech 10 " " N 79 W 8 " "  
 51.65 a Hickory 30 " "  
 82.35 Intercet N. Boundary 93 lbs. S. of post -  
 set post at intersection cor. of sec. 30 & 31 from which  
 a Beech 9 in. dia. bears N 35 W 40 lbs. dist. 18  
 a Hickory 14 " " S 44 E 28 " "  
 Land level P. rate, timber Ash, Beech, Poplar &c.  
 Upr. Spice &c.

North between Sec. 29 & 30  
 6.05 a Sugar 10 in. dia.  
 40.00 set q. sec. post from which  
 a Beech 9 in. dia. bears N 60 E 17 lbs. dist. 18  
 a Ash 16 " " S 30 W 13 " "  
 41.00 a Poplar 50 " "  
 80.00 set post on q. sec. 19, 20, 29 & 30 from which  
 a Hickory 14 in. dia. bears N 65 E 28 lbs. dist. 18  
 a Beech 14 " " S 24 W 30 " "  
 Land level P. rate, timber Ash, Beech, Poplar &c.  
 Upr. Spice &c.

East on Random between Sec. 20 & 29  
 40.00 set temp. q. sec. post  
 82.90 Intercet N. Sline at post -  
 Land level P. rate, timber Beech, Ash, Sugar,  
 some Poplar &c. Upr. Spice &c.

West Connected between Sec. 20 & 29  
 41.65 set post for q. sec. cor. from which  
 a Beech 30 in. dia. bears S 71 E 20 lbs. dist. 18  
 a Sugar 7 " " N 55 W 35 " "  
 41.45 to true q. sec. cor.  
 63.36 a Beech 20 in. dia.

S. N. N., R. C. D. L<sup>o</sup>. Mer. Ind<sup>a</sup>.

82.90 to sec. cor.

Note. This line was resurveyed, and the g. sec. port was found to be 20 links W. of the true place, the Surveyor omitted to establish it at average distance on true line.

West between Sec. 19 & 30

13.90 a Beech 26 in. dia.

40.00 set of sec. port from which  
an Ash 30 in. dia bears N 22° W 30 ft. dist. 8

a Sugar 14 " " 856 E 12 " "

47.80 a Poplar 20 " "

82.90 Intercal W. Boundary 143 ft. S. of port -  
set port at intersection cor. of Sec. 19 & 30 from which  
a Poplar 60 in. dia bears S 61° E 20 ft. dist. 8  
a Beech 14 " " N 11° W 35 " "  
Land level 2<sup>o</sup> sato, timber Beech, Poplar, Ash &  
Mys. Spice

North between Sec. 19 & 20.

30.78 a Beech 15 in. dia.

40.00 set of sec. port from which

a Beech 10 in. dia bears N 65° W 13 ft. dist. 8

a Do 18 " " 572 E 25 " "

41.90 a Do 14 " "

80.00 set port cor. of Sec. 17, 18, 19 & 20 from which

a Beech 7 in. dia bears N 11° E 21 ft. dist. 8,

an Ash 8 " " 538 E 15 " "

Land level rich, timber Ash, Beech, Sugar &

Mys. Spice 4<sup>o</sup>

East on Random between Sec. 17 & 20

40.00 set temp. of sec. port

81.51 Intercal N. S. line at port -

T. M. N., R. C. D. S. Mer. Ind<sup>a</sup>

Land level 2° rate, timber Beech, Ash, Hickory  
or Ulm. Spice &c.

West Corrected between Sect. 17 & 20  
41.34 an Ash 18 in. dia.

41.40 set q. sec. post from which  
an Ash 18 in. dia bears N 48 E 14 Ms. dist. 8  
a Beech 5 s s s 8849V7 s s

81.50 to sec. cor.

Note. The above q. sec. post and Bearings, are  
not at the true place, being  $1\frac{1}{2}$  Ms. too far West

West between Sect. 18 & 19

20.04 a Beech 20 in. dia.

40.00 set q. sec. post from which  
a Beech 14 in. dia bears N 15 W 25 Ms. dist. 8  
a Sugar 10 s s s 9388 6 s s

59.29 a Brook 8 Ms. wide course N W

60.29 an Oak 20 in. dia.

82.85 Interest W. Boundary 97 Ms. S. of post  
set post at intersection cor. of sect. 18 & 19 from which  
a Beech 14 in. dia bears 895 E 6 Ms. dist. 8

a Do 5 s s s N 44 W 22 s s

Land level, timber Beech, Oak & Ash, 2° rate,  
Ulm. Spice &c.

North between Sect. 17 & 18

7.00 an Ash 14 in. dia.

40.00 set q. sec. post from which  
a Sugar 20 in. dia bears 880 E 16 Ms. dist. 8  
a W. Oak 22 s s s 889 V 62 s s

42.90 a Hickory 15 s s

80.00 set post cor. of Sect. 7, 8, 17 & 18 from which  
a Sugar 15 in. dia bears N 31 W 5 Ms. dist. 8

## S. 11 N., R. 6 E. D. I. Mer. Ind.

a Beech 7 in. dia. bears S 42° E 18 m. dist.

Land level P. rate, timber Ash, Beech, Sugar & Poplar, Upr. Spice

## East on Random between Sect. 8 &amp; 17

40.00 set temp. q. sec. port

81.83 intersect N. line at port -

Land level P. rate, timber Sugar, Beech, Ash, Poplar, Upr. Spice

## West Connected between Sect. 8 &amp; 17

9.36 a Sugar 18 in. dia.

40.91 set q. sec. port at ave. dist. from which

a Beech 5 in. dia. bears S 49° E 31 m. dist. 8,

a Sugar 18 s s s N 37° W 25 s s

51.87 a Beech 10 s s

81.83 to sec. cor.

## West between Sect. 7 &amp; 18

15.59 a Beech 18 in. dia.

40.00 set q. sec. port from which

a Beech 8 in. dia. bears S 41° W 20 m. dist. 8,

a Sugar 5 s s s N 40° W 10 s s

46.54 a W. Oak 30 s s

83.00 intersect W. Boundary 55 m. S. of port -

set port at intersection cor. of sect. 7 & 18 from which

a Sugar 10 in. dia. bears N 65° E 35 m. dist. 8,

a No 8 s s s S 52° W 12 s s

Land level P. rate, timber Beech, Oak & Ash, Upr. Spice &c.

## North between Sect. 7 &amp; 8

1.50 a Sugar 18 in. dia.

40.00 set q. sec. port from which

## T.M.N., R. C. D. I. M. M. Ind. a

	a Sugar 12 in. dia. bears N 56 W 10° dist. 8
	a Beech 5 s s s S 24 E 0 29 s s
42.40	a Slo 18 s s
80.00	Set post cor. of sect. 5, 6, 7 & 8 from which
	a Sugar 14 in. dia. bears S 43 W 12 1/2° dist. 8
	a Beech 4 s s s N 21 W 24 s s
	Land level, timber Ash, Beech, Oak, Spice

## East on Random between Sec. 5 &amp; 8

1.50	a Stream 15 ft. wide
40.00	Set temp. q. sec. post
84.22	Intersect N. S. line 11 ft. S. of post -
	Land level 2° ratio, timber Beech, Ash, Sugar Maple, Spice

## West bounded between Sec. 5 &amp; 8

9.12	a W. Oak 14 in. dia.
42.11	Set q. sec. post at aver. dist. from which
	a Lynn 8 in. dia. bears N 35 W 31 ft. dist. 8
	a Dogwood 5 s s s S 53 E 36 s s
69.19	a Beech 14 s s
84.22	to sec. cor.

## West between Sec. 6 &amp; 7

10.21	a R. Oak 30 in. dia.
40.00	Set q. sec. post from which
	a Beech 14 in. dia. bears N 41 E 13 ft. dist. 8
	a Slo 3 s s s S 6 W 12 s s
57.90	blackberry 30 s s
86.42	Intersect W. Boundary 70 ft. S. of post -
	Set post at intersection cor. of sec. 6 & 7 from which
	a Mulberry 9 in. dia. bears S 67 E 21 ft. dist. 8
	a B. Walnut 18 s s s N 44 W 6 s s
	Land level 2° ratio, timber Oak, Beech, Sugar

T. M. N., R. G. D. M. Mer. Ind.<sup>a</sup>

Mrs. Spice Jr.

North between Sect. 5 & 6

1.50 a Brook 10 ft. wide course SW

5.80 a Beech 24 in. dia.

40.00 set of sec. part from which

a Beech 30 in. dia leans N 24 E 36 ft. dist. 8

a Do 30 s s s 933 NW 12 s s

42.50 a Do 40 s s

82.50 a Stream 250 ft. wide course SW

85.70 Intersect N. Boundary 25 ft. E. of post-

set part at intersection cor. of sect. 5 & 6 from which

a Blue Ash 20 in. dia leans S 3 E 14 ft. dist. 8

a Bur Oak 26 s s s 160 NW 28 s s

Land level, timber Ash, Beech & Oak; species,

Surveyed in 1819 by

Abraham Lee

Deputy Surveyor.

I certify that the foregoing transcript of  
Field Notes of the survey of Township No. 11  
North, in Range No. 6 East of the 2<sup>d</sup> Princip-  
al Meridian, in the State of Indiana, have  
been compared with the original on file in  
this office, and found to be correct.

Surveyor General's Office, C. P. Peckins,

Cincinnati, April 16, 1842

Sur. Gen.

Gong J.